


 Kibira Mushroom
Bollard



KIBIRA MUSHROOM

LED BOLLARDS IP65

Available in any
of these RAL colors



Cover

Die cast aluminium

Body

Die cast aluminium

Gaskets

Silicone

Diffuser

Opal Acrylic

Screws

316L Stainless steel

Glands

2 x PG 13.5

Recessing Tube

Polyamide 6



Single



Twin



Triple


Led : LEDs (1W or 3W)

Voltage : 220- 240 VAC (12-24 VDC on request)

Driver : External (Picket mount) / Internal (Recessing Tube mount)



Diffuser : Opal Acrylic

600mm





Power	Kelvin	Code No		
		Single	Twin	Triple
1W	2700 K	222001	222101	222201
1W	3000 K	222002	222102	222202
1W	4000 K	222003	222103	222203
3W	2700 K	222011	222111	222211
3W	3000 K	222012	222112	222212
3W	4000 K	222013	222113	222213

800mm




Power	Kelvin	Code No		
		Single	Twin	Triple
1W	2700 K	223001	223101	223201
1W	3000 K	223002	223102	223202
1W	4000 K	223003	223103	223203
3W	2700 K	223011	223111	223211
3W	3000 K	223012	223112	223212
3W	4000 K	223013	223113	223213

1000mm




Power	Kelvin	Code No		
		Single	Twin	Triple
1W	2700 K	224001	224101	224201
1W	3000 K	224002	224102	224202
1W	4000 K	224003	224103	224203
3W	2700 K	224011	224111	224211
3W	3000 K	224012	224112	224212
3W	4000 K	224013	224113	224213

For
Kibira



Recessing Tube
Internal Driver
Code No: 953731



Picket
External Driver
Code No: 953732

EMFA



EMFA