


 Kibira Mushroom
Bollard



KIBIRA MUSHROOM

LED BOLLARDS IP65

Available in any
of these RAL colors



Cover

Die cast aluminium

Body

Die cast aluminium

die cast aluminium bottom and connection box.

Gaskets

Silicone

Diffusers

4 mm Tempered Glass (Aluminium Cover)

Screws


316L Stainless steel

Glands

2 x PG 13.5



Recessing Tube

Polyamide 6





Led : LEDs (3W)
Voltage : 240 VAC with External driver
 (12-24 VDC on request)
Diffuser : Diffuse Acrylic

600mm





Power	Kelvin	Real Lumen Output	Code No		
			Single	Twin	Triple
3W	2700 K	285 lm	222011	222111	222211
3W	3000 K	285 lm	222012	222112	222212
3W	4000 K	290 lm	222013	222113	222213

800mm




Power	Kelvin	Real Lumen Output	Code No		
			Single	Twin	Triple
3W	2700 K	285 lm	223011	223111	223211
3W	3000 K	285 lm	223012	223112	223212
3W	4000 K	290 lm	223013	223113	223213

1000mm




Power	Kelvin	Real Lumen Output	Code No		
			Single	Twin	Triple
3W	2700 K	285 lm	224011	224111	224211
3W	3000 K	285 lm	224012	224112	224212
3W	4000 K	290 lm	224013	224113	224213

For
Kibira



**Recessing Tube
Internal Driver**
Code No: 953731



**Picket
External Driver**
Code No: 953732



EMFA